



# Gen-

## 8026 Seed Cleaner



### Key Features



PALLET FORK INSERTS



AIR CHAMBER WINDOW



TOP AIR



BOTTOM AIR



BALL TRAY SYSTEM

### Capacities\*

Medium Seed	4.5 Tons./ HR.
Large Seed & Wheat	10 Tons./ HR.
Market Cleaning	15 Tons./ HR.

\*Note: Capacities may vary depending on seed condition, moisture content, seed varieties, types and volumes of contaminants to be separated and percentage of foreign materials acceptable in the final product.

### Electrical Requirements

Motor for Fans	5 Hp.
Motor for eccentric	2 Hp.
Motor for feeder	0.5 Hp.

### Air

Upper and lower air, up to 7,200 CFM.



## CRIPPEN

KEVIN VOGT

[kvogt@crippenideal.com](mailto:kvogt@crippenideal.com)

W 989.681.4323

C 989.620.5760


### Options

Surge Bin  
Vibratory Feed Hopper  
Grease Line Package  
Ladder and Spouting  
VFD on Air System

### Features

Heavy Duty Construction  
Easily portable with pallet  
fork inserts; to not damage  
machine while moving

# Flow Chart




**Splitter**




**Blind**

## Flow Chart Split Sift



## Flow Chart Scalp Sift



**CRIPPEN**


KEVIN VOGT

[kvogt@crippenideal.com](mailto:kvogt@crippenideal.com)



W 989.681.4323

C 989.620.5760

Measurements in inches



Air outlets (2)



### Technical Specifications

Extreme Height	79"
Extreme Width	75"
Extreme Length	118"
Width on Base	64"
Length on Base	103"



KEVIN VOGT

[kvogt@crippenideal.com](mailto:kvogt@crippenideal.com)

W 989.681.4323

C 989.620.5760